
MEAT SCIENCE

Volumes 54, 55 and 56, 2000

List of Contents and Author Indices



MEAT SCIENCE

The qualities of meat—its composition, nutritional value, wholesomeness and consumer acceptability—are largely determined by the events and conditions encountered by the embryo, the live animal and the post-mortem musculature. The control of these qualities, and their further enhancement, are thus dependent on a fuller understanding of the commodity at all stages of its existence—from the initial conception, growth and development of the organism to the time of slaughter and to the ultimate processing, distribution, preparation, cooking and consumption of its meat.

It is the purpose of *Meat Science* to provide an appropriate medium for the dissemination of interdisciplinary and international knowledge on all the factors which influence the properties of meat. Although the journal is predominantly concerned with the flesh of mammals, contributions on poultry meat are also published, especially when these have relevance to our overall understanding of the relationship between the nature of muscle and the quality of the meat which muscles become post mortem.

Editor

Professor Ralston A. Lawrie
Division of Food Science
School of Biology
University of Nottingham
Loughborough
LE12 5RD, UK

Associate Editors

Professor David A. Ledward
Department of Food Science and
Technology
University of Reading
Whiteknights
PO Box 226
Reading RG6 2AP, UK

Dr. Glenn R. Schmidt
Department of Animal Sciences
Colorado State University
Fort Collins
CO 80523
USA

Editorial Board

A.J. Bailey
University of Bristol, Langford,
UK
P. Barton-Gade
Danish Meat Research Institute,
Maglegårdsvej 2, 4000 Roskilde,
Denmark
O.S. Braathen
BIONOR, Slemdal, Oslo, Norway
J.J. Casal
Instituto Nacional de Tecnología
Agropecuaria, Buenos Aires,
Argentine Republic
R. Chizzolini
Istituto di Scienza e Tecnologia degli
Alimenti, Parma, Italy
B. Chrystall
Massey University, Albany,
New Zealand
E.A. Decker
Chenoweth Lab, Department of
Food Science, University of
Massachusetts, USA

G. Eikelenboom
Driebergen,
The Netherlands
J. Flores
Instituto de Agroquímica y
Tecnológica de Alimentos, Valencia,
Spain

D. Göktan
Food Safety Training and
Consultancy, Bornova, Turkey
M.L. Greaser
University of Wisconsin, Madison, USA
K.O. Honikel
Bundesanstalt für Fleischforschung,
Kulmbach, Germany
D.E. Hood
Agricultural Institute, Dunsinea, Ireland
L. Kormendy
Hungarian Meat Research Institute,
Budapest, Hungary
G. Monin
INRA Theix, Ceyrat, France
S.D. Morgan Jones
Agriculture and Agri-Food Canada,
Lethbridge, Canada
R.T. Naudé
Department of Biochemistry,
University of Port Elizabeth, South Africa
E. Puolanne
University of Helsinki, Helsinki,
Finland
I.A. Rogov
Moscow State Academy of Applied
Biotechnology, Moscow, Russia
N. Sharma
National Research Centre, Izatnagar,
India

R. Shorthose
CSIRO, Queensland,
Australia

E.T.F. Silveira
Instituto De Tecnología Del Alimentos,
Campinas, Brazil

I. Steinhauser
University of Veterinary and
Pharmaceutical Sciences,
Czech Republic

A. Suzuki
University of Niigata, Japan

E. Tornberg
Department of Food Engineering,
Lund University, Sweden

H.T. Tsing
China National Research Institute of
Food and Fermentation Industries,
Beijing, People's Republic of China

W. Uchman
University of Agriculture, Poznan,
Poland

P. D. Warris
University of Bristol, Langford,
UK

J.D. Wood
School of Veterinary Science,
University of Bristol, Langford,
UK



Contents of Volume 54

Number 1

- 1 Determination of an appropriate heat treatment of animal waste using the ELISA technique: results of a validation study
C. von HOLST (Italy), K.O. HONIKEL, W. UNGLAUB (Germany), G. KRAMER (Belgium),
E. ANKLAM (Italy)
- 9 Application of hurdle technology for the development of Caprine *keema* and its stability at ambient temperature
J. KARTHIKEYAN, S. KUMAR, A.S.R. ANJANEYULU, K.H. RAO (India)
- 17 Effect of dietary vitamin E supplementation on beef colour stability
G. EIKELENBOOM, A.H. HOVING-BOLINK, I. KLUITMAN, J.H. HOOBEN,
R.E. KLONT (The Netherlands)
- 23 Postmortem changes in muscle electrical properties of bovine *M. longissimus dorsi* and their relationship to meat quality attributes and pH fall
C.E. BYRNE, D.J. TROY, D.J. BUCKLEY (Ireland)
- 35 Genomic identification of the breed of an individual or its tissue
R. CIAMPOLINI (Italy), H. LEVEZIEL (France), E. MAZZANTI (Italy), C. GROHS (France),
D. CIANCI (Italy)
- 41 Growth and effect of staphylococci and lactic acid bacteria on unsaturated free fatty acids
R. TALON, D. WALTER, M.C. MONTEL (France)
- 49 Colour stability and lipid oxidation of fresh beef. Development of a response surface model for predicting the effects of temperature, storage time, and modified atmosphere composition
M. JAKOBSEN, G. BERTELSEN (Denmark)
- 59 Heterogeneous composition of histochemical fibre types in the different parts of *M. longissimus thoracis* from Mishima (Japanese native) steers
S. MORITA, H. IWAMOTO, Y. FUKUMITSU, T. GOTOH, S. NISHIMURA, Y. ONO (Japan)
- 65 The characteristics of muscle fiber types of *longissimus thoracis* muscle and their influences on the quantity and quality of meat from Japanese Black steers
S. OZAWA, T. MITSUHASHI, M. MITSUMOTO, S. MATSUMOTO, N. ITOH, K. ITAGAKI,
Y. KOHNO, T. DOHGO (Japan)
- 71 Multivariate data analysis of Cavourmas — a Greek cooked meat product
I.S. ARVANITOYANNIS, J.G. BLOUKAS, I. PAPPA, E. PSOMIADOU (Greece)
- 77 The effect of paprika, garlic and salt on rancidity in dry sausages
M.M. AGUIRREZÁBAL, J. MATEO, M.C. DOMÍNGUEZ, J.M. ZUMALACÁRREGUI (Spain)
- 83 Warmed-over flavour in porcine meat — a combined spectroscopic, sensory and chemometric study
J. BRØNDUM, D.V. BYRNE, L.S. BAK, G. BERTELSEN, S.B. ENGELSEN (Denmark)

Number 2

- 97 Halothane genotype and pork quality. 1. Carcass and meat quality characteristics of three halothane genotypes
P. FISHER, F.D. MELLETT, L.C. HOFFMAN (South Africa)
- 107 Halothane genotype and pork quality. 2. Cured meat products of three halothane genotypes
P. FISHER, F.D. MELLETT, L.C. HOFFMAN (South Africa)
- 113 Halothane genotype and pork quality. 3. Comminuted meat products derived from the three halothane genotypes
P. FISHER, F.D. MELLETT, L.C. HOFFMAN (South Africa)

119 Effects of dietary high-oleic acid sunflower oil, copper and vitamin E levels on the fatty acid composition and the quality of dry cured Parma ham
P. BOSI, J.A. CACCIAVILLANI, L. CASINI, D.P. LO FIEGO, M. MARCHETTI, S. MATTUZZI (Italy)

127 Lipolysis in muscles during refrigerated storage as related to the metabolic type of the fibres in the rabbit
C. ALASNIER, E. DAVID-BRIAND, G. GANDEMÉR (France)

135 Combined use of Pronase E and a fungal extract (*Penicillium aurantiogriseum*) to potentiate the sensory characteristics of dry fermented sausages
J.M. BRUNA, M. FERNÁNDEZ, E.M. HIERRO, J.A. ORDÓÑEZ, L. DE LA HOZ (Spain)

147 Boar taint in pigs selected for components of efficient lean growth rate
N.D. CAMERON, J.C. PENMAN, A.C. FISKEN, G.R. NUTE, A.M. PERRY, F.W. WHITTINGTON (UK)

155 The relative effect of dietary energy density on repleted and resting muscle glycogen concentrations
K. IMMONEN (Finland), D.M. SCHAEFER (USA), E. PUOLANNE (Finland), R.G. KAUFFMAN, E.V. NORDHEIM (USA)

163 Glycogen concentrations in bovine *longissimus dorsi* muscle
K. IMMONEN (Finland), R.G. KAUFFMAN, D.M. SCHAEFER (USA), E. PUOLANNE (Finland)

169 Thermal gelation characteristics of breast and thigh muscles of spent hen and broiler and their surimi
A.A.K.M. NOWSAD, S. KANOH, E. NIWA (Japan)

177 Influence of feeding intensity, grazing and finishing feeding on muscle fibre characteristics and meat colour of *semitendinosus*, *longissimus dorsi* and *supraspinatus* muscles of young bulls
M. VESTERGAARD, N. OKSBJERG, P. HENCKEL (Denmark)

187 Influence of feeding intensity, grazing and finishing feeding on meat and eating quality of young bulls and the relationship between muscle fibre characteristics, fibre fragmentation and meat tenderness
M. VESTERGAARD, M. THERKILDSEN, P. HENCKEL, L.R. JENSEN, H.R. ANDERSEN, K. SEJRSEN (Denmark)

197 Effect of inoculation of mesophilic lactic acid bacteria on microbial and sensory changes of minced goat meat during storage under vacuum and subsequent aerobic storage
Y. BABJI, T.R.K. MURTHY (India)

Number 3

203 Yeast populations on Spanish fermented sausages
J.-P. ENCINAS, T.-M. LÓPEZ-DÍAZ, M.-L. GARCÍA-LÓPEZ, A. OTERO, B. MORENO (Spain)

209 Analysis of volatile components and the sensory characteristics of irradiated raw pork
D.U. AHN, C. JO, D.G. OLSON (USA)

217 Evaluation of electrical stunning in commercial rabbits: effect on brain function
M.H. ANIL, A.B.M. RAJ, J.L. McKINSTRY (UK)

221 Preslaughter resting and hot-fat trimming effects on the incidence of pale, soft and exudative (PSE) pork and ham processing characteristics
B.L. OWEN, J.L. MONTGOMERY, C.B. RAMSEY, M.F. MILLER (USA)

231 Testing for the RN⁻ gene in retail pork chops
W.J. MEADUS, R. MACINNIS (Canada)

239 Modelling the effect of sarcomere length on collagen thermal shortening in cooked meat: consequence on meat toughness
J. LEPESTIT, A. GRAJALES, R. FAVIER (France)

251 An international study on the importance of androstenone and skatole for boar taint: I. Presentation of the programme and measurement of boar taint compounds with different analytical procedures
M. BONNEAU (France), A.J. KEMPSTER (UK), R. CLAUS (Germany), C. CLAUDI-MAGNUSEN (Denmark), A. DIESTRE (Spain), E. TORNBERG (Sweden), P. WALSTRA (The Netherlands), P. CHEVILLON (France), U. WEILER (Germany), G.L. COOK (UK)

261 An international study on the importance of androstenone and skatole for boar taint: II. Sensory evaluation by trained panels in seven European countries
G.B. DIJKSTERHUIS, B. ENGEL, P. WALSTRA (The Netherlands), M. FONT I FURNOLS (Spain),
H. AGERHEM (Sweden), K. FISCHER (Germany), M.A. OLIVER (Spain),
C. CLAUDI-MAGNUSEN (Denmark), F. SIRET, M.P. BÉAGUE (France), D.B. HOMER (UK),
M. BONNEAU (France)

271 An international study on the importance of androstenone and skatole for boar taint: III. Consumer survey in seven European countries
K.R. MATTHEWS, D.B. HOMER (UK), P. PUNTER (The Netherlands), M.-P. BÉAGUE (France),
M. GISPERT (Spain), A.J. KEMPSTER (UK), H. AGERHEM (Sweden),
C. CLAUDI-MAGNUSEN (Denmark), K. FISCHER (Germany), F. SIRET (France), H. LEASK (UK),
M. FONT I FURNOLS (Spain), M. BONNEAU (France)

285 An international study on the importance of androstenone and skatole for boar taint: IV. Simulation studies on consumer dissatisfaction with entire male pork and the effect of sorting carcasses on the slaughter line, main conclusions and recommendations
M. BONNEAU (France), P. WALSTRA (The Netherlands), C. CLAUDI-MAGNUSEN (Denmark),
A.J. KEMPSTER (UK), E. TORNBERG (Sweden), K. FISCHER (Germany), A. DIESTRE (Spain),
F. SIRET, P. CHEVILLON (France), R. CLAUS (Germany), G. DIJKSTERHUIS, P. PUNTER (The Netherlands),
K.R. MATTHEWS (UK), H. AGERHEM (Sweden), M.P. BÉAGUE (France), M.A. OLIVER,
M. GISPERT (Spain), U. WEILER (Germany), G. VON SETH (Sweden), H. LEASK (UK),
M. FONT I FURNOLS (Spain), D.B. HOMER, G.L. COOK (UK)

297 Influence of differences in sensitivity of Spanish and German consumers to perceive androstenone on the acceptance of boar meat differing in skatole and androstenone concentrations
U. WEILER (Germany), M. FONT I FURNOLS (Spain), K. FISCHER, H. KEMMER (Germany),
M.A. OLIVER, M. GISPERT (Spain), A. DOBROWOLSKI, R. CLAUS (Germany)

Number 4

Letter to the Editor

305 A pyruvate kinase from striated muscle activated by phosphorylation
PASCUAL LOPEZ BUESA (Spain)

307 Enzymatic assay to determine collagen thermal denaturation and solubilization
T.H. POWELL, M.C. HUNT, M.E. DIKEMAN (USA)

313 Fatty acid composition of goat diets vs intramuscular fat
K.S. RHEE, D.F. WALDRON, Y.A. ZIPRIN, K.C. RHEE (USA)

319 Training for more accurate visual fat estimation in meat
JAN H.A. KROEZE, G. WIJNGAARDS, P. PADDING, M.R.I. LINSCHOTEN, B. THEELEN-UIJTEWAAL (The Netherlands)

325 Interrelationships between descriptive texture profile sensory panel and descriptive attribute sensory panel evaluations of beef *Longissimus* and *Semitendinosus* muscles
M.M. OTREMBA, M.E. DIKEMAN, G.A. MILLIKEN, S.L. STRODA, E. CHAMBERS IV, D. CHAMBERS (USA)

333 Evolution of volatile aldehydes in Iberian ham matured under different processing conditions
L. MARTÍN, M.L. TIMÓN, M.J. PETRÓN, J. VENTANAS, T. ANTEQUERA (Spain)

339 Fatty acid composition and sensory characteristics of lamb carcasses from Britain and Spain
C. SAÑUDO (Spain), M.E. ENSER (UK), M.M. CAMPO (Spain), G.R. NUTE (UK), G. MARÍA, I. SIERRA (Spain),
J.D. WOOD (UK)

347 The effect of selection for growth rate on carcass composition and meat characteristics of rabbits
MIRIAM PILES, A. BLASCO, M. PLA (Spain)

357 High pressure/thermal treatment of meat batters prepared from freeze-thawed pork
J. CARBALLO, S. COFRADES, M.T. SOLAS, F. JIMÉNEZ-COLMENERO (Spain)

365 Buffalo meat as a salted and cured product
MARIA ANTONIETTA PALEARI, G. BERETTA, F. COLOMBO, S. FOSCHINI, G. BERTOLO,
S. CAMISASCA (Italy)

369 Evaluation of a DNA fingerprinting method for determining the species origin of meats
L. PARTIS, D. CROAN, Z. GUO, R. CLARK, T. COLDHAM, J. MURBY (Australia)

377 Influence of supranutritional vitamin E and copper on α -tocopherol deposition and susceptibility to lipid oxidation of porcine membranal fractions of *M. Psos major* and *M. Longissimus dorsi*
CHARLOTTE LAURIDSEN, SØREN KROGH JENSEN, LEIF H. SKIBSTED, GRETE BERTELSEN (Denmark)

385 Stability of catalase and its potential role in lipid oxidation in meat
A.A. PRADHAN, K.S. RHEE, P. HERNANDEZ (USA)

391 Colour of normal and high pH beef heated to different temperatures as related to oxygenation
L. GAŠPERLIN, B. ŽLENDER, V. ABRAM (Slovenia)

399 Effect of residual oxygen on colour stability during chill storage of sliced, pasteurised ham packaged in modified atmosphere
JENS K.S. MØLLER, JENS S. JENSEN, METTE B. OLSEN, LEIF H. SKIBSTED, GRETE BERTELSEN (Denmark)

407 Survival of enterohaemorrhagic *Escherichia coli* O157:H7 strain in Turkish soudjouk during fermentation, drying and storage periods
S. COSANSU, K. AYHAN (Turkey)

Contents of Volume 55

Number 1

1 Lipolysis in dry-cured ham maturation
C.S. VESTERGAARD, C. SCHIVAZAPPA, R. VIRGILI (Italy)

7 Effect of dietary vitamin E supplementation on cholesterol oxidation in vacuum packaged cooked beef steaks
K. GALVIN, A.-M. LYNCH, J.P. KERRY, P.A. MORRISSEY, D.J. BUCKLEY (Ireland)

13 Prediction of temperature and moisture content of frankfurters during thermal processing using neural network
G.S. MITTAL (Canada), J. ZHANG (People's Republic of China)

25 Bovine muscle glycogen concentration in relation to finishing diet, slaughter and ultimate pH
K. IMMONEN, M. RUUSUNEN, K. HISSA, E. PUOLANNE (Finland)

33 Some effects of residual glycogen concentration on the physical and sensory quality of normal pH beef
K. IMMONEN, M. RUUSUNEN, E. PUOLANNE (Finland)

39 The effect of oxygen level and exogenous α -tocopherol on the oxidative stability of minced beef in modified atmosphere packs
M.N. O'GRADY, F.J. MONAHAN, R.M. BURKE, P. ALLEN (Ireland)

47 Postmortem muscle glycolysis and meat quality characteristics of intact male Korean native (Hanwoo) cattle
K.H. KIM (South Korea), Y.S. KIM (USA), Y.K. LEE, M.G. BAIK (South Korea)

53 Composition and protein fractions of different meat by-products used for petfood compared with mechanically separated chicken (MSC)
J.A. RIVERA, J.G. SEBRANEK, R.E. RUST, L.B. TABATABAI (USA)

61 Functional properties of meat by-products and mechanically separated chicken (MSC) in a high-moisture model petfood system
J.A. RIVERA, J.G. SEBRANEK, R.E. RUST (USA)

67 Specificity of different anti-myosin heavy chain antibodies in bovine muscle
M.-P. DURIS, B. PICARD, Y. GEAY (France)

79 Characterisation of indigenous African cattle breeds in relation to meat quality traits
P.E. STRYDOM, R.T. NAUDE, M.F. SMITH, M.M. SCHOLTZ, J.B. VAN WYK (South Africa)

89 Production of bacteriocin-like metabolites by lactic acid cultures isolated from sucuk samples
A.H. ÇON, H.Y. GÖKALP (Turkey)

97 A survey of pre-slaughter conditions, halothane gene frequency, and carcass and meat quality in five Spanish pig commercial abattoirs
M. GISPERT, L. FAUCITANO, M.A. OLIVER, M.D. GUÀRDIA, C. COLL (Spain), K. SIGGENS, K. HARVEY (UK), A. DIESTRE (Spain)

107 Color changes in irradiated cooked pork sausage with different fat sources and packaging during storage
C. JO, S.K. JIN, D.U. AHN (USA)

115 Development of technology for the early post mortem prediction of water holding capacity and drip loss in fresh pork
J.C. FORREST, M.T. MORGAN (USA), C. BORGGAARD, A.J. RASMUSSEN, B.L. JESPERSEN, J.R. ANDERSEN (Denmark)

123 Effects of salt level and high hydrostatic pressure processing on frankfurters formulated with 1.5 and 2.5% salt
C.M. CREHAN, D.J. TROY, D.J. BUCKLEY (Ireland)

131 Control of post mortem pH decrease in pig muscles: experimental design and testing of animal models
P. HENCKEL, A. KARLSSON, N. OKSBJERG, J. SØHOLM PETERSEN (Denmark)

139 Book review

Number 2

141 Fatty acid composition and eating quality of lamb types derived from four diverse breed \times production systems
A.V. FISHER, M. ENSER, R.I. RICHARDSON, J.D. WOOD, G.R. NUTE, E. KURT, L.A. SINCLAIR, R.G. WILKINSON (UK)

149 The effects of diet and breed on the volatile compounds of cooked lamb
J.S. ELMORE, D.S. MOTTRAM, M. ENSER, J.D. WOOD (UK)

161 Meat starters have individual requirements for Mn²⁺
B.F. HAGEN, H. NÆS, A.L. HOLCK (Norway)

169 Oxidative stability of lipids and cholesterol in salame Milano, coppa and Parma ham: dietary supplementation with vitamin E and oleic acid
E. ZANARDI, E. NOVELLI, G.P. GHIRETTI, R. CHIZZOLINI (Italy)

177 Prediction of water-holding capacity and composition of porcine meat by comparative spectroscopy
J. BRØNDUM, L. MUNCK, P. HENCKEL, A. KARLSSON (Denmark), E. TORNBERG (Sweden), S.B. ENGELSEN (Denmark)

187 Genotype with nutrition interaction on fatty acid composition of intramuscular fat and the relationship with flavour of pig meat
N.D. CAMERON, M. ENSER, G.R. NUTE, F.M. WHITTINGTON, J.C. PENMAN, A.C. FISKEN, A.M. PERRY, J.D. WOOD (UK)

197 Tenderization of wether lambs meat through pre-rigor infusion of calcium ions
P. POLIDORI, M. TRABALZA MARINUCCI, F. FANTUZ, C. RENIERI, F. POLIDORI (Italy)

201 Feeding linseed to increase the n-3 PUFA of pork: fatty acid composition of muscle, adipose tissue, liver and sausages
M. ENSER, R.I. RICHARDSON, J.D. WOOD, B.P. GILL, P.R. SHEARD (UK)

213 Shelf life and quality of pork and pork products with raised n-3 PUFA
P.R. SHEARD, M. ENSER, J.D. WOOD, G.R. NUTE, B.P. GILL, R.I. RICHARDSON (UK)

223 Recovery of proteins from beef bone and the functionality of these proteins in sausage batters
J.A. BOLES (USA), B.M. RATHGEBER, P.J. SHAND (Canada)

233 Effects of animal and muscle characteristics on collagen and consequences for ham production
B. BOUTTEN, M. BRAZIER, N. MORCHE, A. MOREL, J.L. VENDEUVRE (France)

239 Seasonal effects on Ca²⁺ transport of sarcoplasmic reticulum and on meat quality of pigs with different malignant hyperthermia status
U. KÜCHENMEISTER, G. KUHN, K. ENDER (Germany)

247 Prediction of the soluble myoglobin content of cooked burgers
G.N. LYTRAS, R.D. KING, D.A. LEDWARD (UK)

251 Processing and nutritional characteristics of value added ostrich products
P. FISHER, L.C. HOFFMAN, F.D. MELLETT (South Africa)

Number 3**Mini review**

255 Ash and calcium as measures of bone in meat and bone mixtures
R.A. FIELD (USA)

265 Effect of electrical stimulation on protease activity and tenderness of *M. longissimus* from cattle with different proportions of *Bos indicus* content
D.M. FERGUSON (Australia), S.-T. JIANG (Taiwan), H. HEARNSHAW, S.R. RYMILL, J.M. THOMPSON (Australia)

273 Determination of RN⁻ phenotype in pigs at slaughter-line using visual and near-infrared spectroscopy
Å. JOSELL, L. MARTINSSON (Sweden), C. BORGGAARD, J.R. ANDERSEN (Denmark), E. TORNBERG (Sweden)

279 Variation of residual glycogen-glucose concentration at ultimate pH values below 5.75
K. IMMONEN, E. PUOLANNE (Finland)

285 Effect of various concentrations of lactic acid and sodium chloride on selected physico-chemical meat traits
A. MEDYŃSKI, E. POSPIECH, R. KNIAT (Poland)

291 The effect of sodium chloride content and temperature on pork meat isotherms
J. COMAPOSADA, P. GOU, J. ARNAU (Spain)

297 Screening of commercial meat starter cultures at low pH and in the presence of bile salts for potential probiotic use
S. ERKKILÄ, E. PETÄJÄ (Finland)

301 The effect of cooking temperature on mechanical properties of whole meat, single muscle fibres and perimysial connective tissue
M. CHRISTENSEN, P.P. PURSLOW, L.M. LARSEN (Denmark)

309 The effect of stunning method on the incidence of PSE meat and haemorrhages in pork carcasses
A. VELARDE, M. GISPERT, L. FAUCITANO, X. MANTECA, A. DIESTRE (Spain)

315 The effect of the sticking method on the welfare of slaughter pigs
M.H. ANIL, P.E. WHITTINGTON, J.L. MCKINSTRY (UK)

321 Minimum sodium nitrite levels for pinking of various cooked meats as related to use of direct or indirect-dried soy isolates in poultry rolls
K.M. HEATON, D.P. CORNFORTH, I.V. MOISEEV, W.R. EGBERT, C.E. CARPENTER (USA)

331 Effect of dietary vitamin E supplementation, fat level and packaging on colour stability and lipid oxidation in minced beef
J.H. HOUBEN, A. VAN DIJK, G. EIKELENBOOM, A.H. HOVING-BOLINK (The Netherlands)

337 The use of discriminant analysis for the interpretation of the reflectance spectra of irradiated porcine *M. longissimus dorsi*
B.W. MOSS, S.J. MILLAR, D.J. KILPATRICK (UK)

349 The effect of ionising radiation on the colour of beef, pork and lamb
S.J. MILLAR, B.W. MOSS, M.H. STEVENSON (UK)

361 The effect of ionising radiation on the colour of leg and breast of poultry meat
S.J. MILLAR, B.W. MOSS, M.H. STEVENSON (UK)

Number 4

371 Assessment of breed type and ageing time effects on beef meat quality using two different texture devices
M.M. CAMPO, P. SANTOLARIA, C. SAÑUDO (Spain), J. LEPETIT (France), J.L. OLLETA, B. PANEÀ, P. ALBERTÍ (Spain)

379 Relationships between meat quality measurements in rabbits fed with three diets of different fat type and content
P. HERNANDEZ, M. PLA, M.A. OLIVER, A. BLASCO (Spain)

385 Use of electrical conductivity to predict water-holding capacity in post-rigor pork
S. LEE (South Korea), J.M. NORMAN, S. GUNASEKARAN, R.L.J.M. VAN LAACK (USA), B.C. KIM (South Korea), R.G. KAUFFMAN (USA)

391 Combination of low voltage electrical stimulation and early postmortem temperature conditioning on degradation of myofibrillar proteins in Korean native cattle (Hanwoo)
M.S. RHEE, Y.C. RYU (South Korea), J.Y. IMM (USA), B.C. KIM (South Korea)

397 Palatability of beef steaks marinated with solutions of calcium chloride, phosphate, and (or) beef-flavoring
J.A. SCANGA, R.J. DELMORE, Jr., R.P. AMES, K.E. BELK, J.D. TATUM, G.C. SMITH (USA)

403 Combined effect of modified atmosphere bulk packaging, dietary vitamin E supplementation and microbiological contamination on colour stability of *Musculus gluteus medius*
E.M. BUYS (South Africa), G.L. NORTJÉ (New Zealand), P.J. JOOSTE (South Africa), A. VON HOLY (New Zealand)

413 Beef shelf life in low O₂ and high CO₂ atmospheres containing different low CO concentrations
M. LUÑO, P. RONCALES, D. DJENANE, J.A. BELTRÁN (Spain)

421 Tenderness and collagen composition of beef *semitendinosus* roasts cooked by conventional convective cooking and modeled, multi-stage, convective cooking
T.H. POWELL, M.E. DIKEMAN, M.C. HUNT (USA)

427 Evaluation of transglutaminase on the quality of low-salt chicken meat-balls
T.-F. TSENG, D.-C. LIU, M.-T. CHEN (Taiwan)

433 Microbiological shelf life of bulk-packaged *Musculus gluteus medius* supplemented with dietary vitamin E
E.M. BUYS (South Africa), G.L. NORTJÉ (New Zealand), P.J. JOOSTE, A. VON HOLY (South Africa)

443 Comparison of different magnesium sources on lamb muscle quality
J.K. APPLE, H.B. WATSON, K.P. COFFEY, E.B. KEGLEY, L.K. RAKES (USA)

451 The effect of ionic strength, polyphosphates type, pH, cooking temperature and preblending on the functional properties of normal and pale, soft, exudative (PSE) pork
P.J. TORLEY, B.R. D'ARCY, G.R. TROUT (Australia)

463 Effects of fat level and maltodextrin on the functional properties of frankfurters formulated with 5, 12 and 30% fat
C.M. CREHAN, E. HUGHES, D.J. TROY, D.J. BUCKLEY (Ireland)

471 Effect of trisodium phosphate solutions washing on the sensory evaluation of poultry meat
R. CAPITA, C. ALONSO-CALLEJA, M. SIERRA, B. MORENO, M. DEL CAMINO GARCÍA-FERNÁNDEZ (Spain)

475 Reduced nitrite levels and dietary α -tocopheryl acetate supplementation: effects on the colour and oxidative stability of cooked hams
N.M. DINEEN, J.P. KERRY, P.B. LYNCH, D.J. BUCKLEY, P.A. MORRISSEY, E.K. ARENDT (Ireland)

483 Effects of chemical hurdles on microbiological and oxidative stability of a cooked cured emulsion type meat product
D. JUNCHER, C.S. VESTERGAARD, J. SØLTOFT-JENSEN, C.J. WEBER, G. BERTELSEN, L.H. SKIBSTED (Denmark)

493 Evaluation of a probe for predicting beef tenderness
L.E. JEREMIAH (Canada), D.M. PHILLIPS (New Zealand)

Research Note

503 The measurement of pH in raw and frozen turkey *Pectoralis superficialis* muscle
V. SANTÉ, X. FERNANDEZ (France)

Contents of Volume 56**Number 1**

- 1 Activity of cathepsin B, D, H and L in Spanish dry-cured ham of normal and defective texture
J.A. GARCIA-GARRIDO, R. QUILES-ZAFRA, J. TAPIADOR, M.D. LUQUE DE CASTRO (Spain)
- 7 Determination of the buffering capacity of postrigor meat
E. PUOLANNE, R. KIVIKARI (Finland)

15 Differentiation of the species ostrich (*Struthio camelus*) and emu (*Dromaius novaehollandiae*) by polymerase chain reaction using an ostrich-specific primer pair
F. COLOMBO, R. VIACAVA, M. GIARETTI (Italy)

19 A research note on factors affecting the determination of myofibrillar fragmentation
D.L. HOPKINS, P.J. LITTLEFIELD, J.M. THOMPSON (Australia)

23 Sire variation in fatty acid composition of crossbred Wagyu steers and heifers
J.A. ELIAS CALLES, C.T. GASKINS, J.R. BUSBOOM, S.K. DUCKETT, J.D. CRONRATH, J.J. REEVES (USA)

31 Protein quality and microbiological changes in aerobically- or vacuum-packaged, irradiated fresh pork loins
M. LACROIX, W. SMORAGIEWICZ, M. JOBIN, B. LATREILLE, K. KRZYSTYNIAK (Canada)

41 Relationship between fat depots in carcasses of beef bulls and effect on meat colour and tenderness
L.O. FIEMS, S. DE CAMPENEERE, S. DE SMET, G. VAN DE VOORDE, J.M. VANACKER, Ch.V. BOUCQUE (Belgium)

49 Relationship between RN⁻ genotype and drip loss in meat from Danish pigs
H.C. BERTRAM, J.S. PETERSEN, H.J. ANDERSEN (Denmark)

57 Evaluation of pork color by using computer vision
J. LU, J. TAN, P. SHATADAL, D.E. GERRARD (USA)

61 The effects of dietary α -tocopheryl acetate supplementation and modified atmosphere packaging (MAP) on the quality of lamb patties
J.P. KERRY, M.G. O'SULLIVAN, D.J. BUCKLEY, P.B. LYNCH, P.A. MORRISSEY (Ireland)

67 Effects of three preservative agents on the shelf life of vacuum packaged Chinese-style sausage stored at 20°C
F.-S. WANG (Taiwan)

73 Effect of dietary energy and protein levels on fatty acid composition of intramuscular fat in double-muscled Belgian Blue bulls
S. DE SMET (Belgium), E.C. WEBB (South Africa), E. CLAEYS, L. UYTTERHAEGEN, D.I. DEMEYER (Belgium)

81 Optimization of salt, olive oil and pectin level for low-fat frankfurters produced by replacing pork backfat with olive oil
I.C. PAPPA, J.G. BLOUKAS, I.S. ARVANITOYANNIS (Greece)

89 Carcass and meat quality in light lambs from different fat classes in the EU carcass classification system
C. SAÑUDO, M. ALFONSO, A. SÁNCHEZ, R. DELFA (Spain), A. TEIXEIRA (Portugal)

95 Influence of direct and delayed chilling of excised female buffalo muscles on their textural quality
K. RATHINA RAJ, R. JAGANNATHA RAO, D. NARASIMHA RAO, N.S. MAHENDRAKAR (India)

101 Book review

103 Erratum

Number 2

Review

105 Utilization of microbes to process and preserve meat
F.-K. LÜCKE (Germany)

117 Castration and slaughter age effects on panel assessment and aroma compounds of the "mestiço" goat meat
M.S. MADRUGA, S.G.B. ARRUDA, N. NARAIN, J.G. SOUZA (Brazil)

127 Effect of pelvic suspension on three major leg muscles in the pig carcass and implications for ham manufacture
A.V. FISHER, A. POUROS, J.D. WOOD, K. YOUNG-BOONG, P.R. SHEARD (UK)

133 In vivo assessment of the quantity of breast muscle by sonography in broilers
H. RÉMIGNON, F. SEIGNEURIN, F. MOATI (France)

139 Initial chilling rate of pre-rigor beef muscles as an indicator of colour of thawed meat
M.M. FAROUK, S.J. LOVATT (New Zealand)

145 Microbiological contamination of raw beef trimmings and ground beef
J.A. SCANGA, A.D. GRONA, K.E. BELK, J.N. SOFOS, G.R. BELLINGER, G.C. SMITH (USA)

153 Estimation of poultry breastmeat yield: magnetic resonance imaging as a tool to improve the positioning of ultrasonic scanners
A. DAVENEL, F. SEIGNEURIN, G. COLLEWET, H. RÉMIGNON (France)

159 In situ transesterification of fatty acids from Iberian pig subcutaneous adipose tissue
A.I. CARRAPISO, M^a LUISA TIMÓN, M^a JESÚS PETRÓN, J.F. TEJEDA, C. GARCÍA (Spain)

165 Proteolytic specificity of cathepsin D on bovine F-actin
M.C. HUGHES, A. HEALY, P.L.H. McSWEENEY, E.E. O'NEILL (Ireland)

173 Meat quality of steers finished on autumn grass, grass silage or concentrate-based diets
P. FRENCH, E.G. O'RIORDAN, F.J. MONAHAN, P.J. CAFFREY, M. VIDAL, M.T. MOONEY, D.J. TROY, A.P. MOLONEY (Ireland)

181 Effect of fat content and soy protein/carrageenan mix on the quality characteristics of comminuted, scalded sausages
Z. PIETRASIK, Z. DUDA (Poland)

189 Hamburger meat identification by dot-ELISA
A. MACEDO-SILVA, S.F.C. BARBOSA, M.G.A. ALKMIN, A.J. VAZ, M. SHIMOKOMAKI, A. TENUTA-FILHO (Brazil)

193 A potential index for assessing the tenderness of hydrodynamic pressure (HDP)-treated beef strip loins
A.M. SPANIER, R.D. ROMANOWSKI (USA)

203 Quality characteristics of pork patties irradiated and stored in different packaging and storage conditions
D.U. AHN, C. JO, M. DU, D.G. OLSON, K.C. NAM (USA)

Research note

211 Distribution of α -tocopherol in beef muscles following dietary α -tocopheryl acetate supplementation
A. LYNCH, J.P. KERRY, M.G. O'SULLIVAN, J.B.P. LAWLER, D.J. BUCKLEY, P.A. MORRISSEY (Ireland)

Number 3

215 Effect of nisin and its combination with sodium chloride on the survival of *Listeria monocytogenes* added to raw buffalo meat mince
D.D. PAWAR, S.V.S. MALIK, K.N. BHILEGAONKAR, S.B. BARBUDDHE (India)

221 Warmed-over flavour analysis in low temperature-long time processed meat by an "electronic nose"
G.M. GRIGIONI, C.A. MARGARIA, N.A. PENSEL, G. SÁNCHEZ, S.R. VAUDAGNA (Argentina)

229 Effects of growth-promoting implants on morphology of *Longissimus* and *Semitendinosus* muscles in finishing steers
S. FRITSCHE, M.B. SOLOMON, E.W. PAROCZAY, T.S. RUMSEY (USA)

239 Changes in lysosomal enzyme activities and shear values of high pressure treated meat during ageing
S. JUNG, M. GHOU, M. DE LAMBALLERIE-ANTON (France)

247 Purification and characterization of a soluble methionyl aminopeptidase from porcine skeletal muscle
M. FLORES, M. MARINA, F. TOLDRA (Spain)

255 The use of principal component analysis (PCA) to characterize beef
G. DESTEFANIS, M.T. BARGE, A. BRUGIAPAGLIA, S. TASSONE (Italy)

261 Quantification of myosin heavy chain isoform in porcine muscle using an enzyme-linked immunosorbent assay
F.F.S. DEPREUX, C.S. OKAMURA, D.R. SWARTZ, A.L. GRANT, A.M. BRANDSTETTER, D.E. GERRARD (USA)

271 Effect of rapid and conventional cooling methods on the quality of cooked ham joints
E.M. DESMOND, T.A. KENNY, P. WARD, D.-W. SUN (Ireland)

279 The influence of elevated temperature conditioning on bison (*Bison bison bison*) meat quality
J.A.M. JANZ, J.L. AALHUS, M.A. PRICE, A.L. SCHAEFER (Canada)

285 Dietary tea catechins and iron-induced lipid oxidation in chicken meat, liver and heart
S.Z. TANG, J.P. KERRY, D. SHEEHAN, D.J. BUCKLEY, P.A. MORRISSEY (Ireland)

291 Halothane genotype, pre-slaughter handling and stunning method all influence pork quality
H.A. CHANNON, A.M. PAYNE, R.D. WARNER (Australia)

301 Effect of ion fluid injection on beef tenderness in association with calpain activity
S. LEE (South Korea), J.M. STEVENSON-BARRY (New Zealand), R.G. KAUFFMAN (USA), B.C. KIM (South Korea)

311 Meat tenderization by proteolytic enzymes after osmotic dehydration
B. GERELET, Y. IKEUCHI, A. SUZUKI (Japan)

319 Book review

Number 4

321 Microbial succession during ripening of Naples-type salami, a southern Italian fermented sausage
S. COPPOLA, G. MAURIELLO, M. APONTE, G. MOSCHETTI, F. VILLANI (Italy)

331 A note on *Escherichia coli* O157:H7 serotype in Turkish meat products
M.R. NOVEIR, H.B. DOGAN, A.K. HALKMAN (Turkey)

337 Occurrence of giant myofibres according to muscle type, pre- or post-rigor state and genetic background in turkeys
H. REMIGNON, J. ZANUSSO, G. ALBERT, R. BABILÉ (France)

345 Effect of electrical stunning on meat quality of lamb
H. VERGARA, L. GALLEGOS (Spain)

351 Effect of method of analysis on iron content of beef from advanced meat recovery systems
W.R. WINDHAM, R.A. FIELD (USA)

357 The influence of *Debaryomyces hansenii* and *Candida utilis* on the aroma formation in garlic spiced fermented sausages and model minces
P.T. OLESEN, L.H. STAHNKE (Denmark)

369 Elucidation of a basic protein, glyceraldehyde-3-phosphate dehydrogenase, as a contributing factor to raise Mg-ATPase activity of myofibrils during meat conditioning
M. MATSUISHI, A. OKITANI (Japan)

379 Sensitivity of pig genotypes to short-term manipulation of plasma fatty acids by feeding linseed
N.D. CAMERON, J.D. WOOD, M. ENSER, F.M. WHITTINGTON, J.C. PENMAN, A.M. ROBINSON (UK)

387 Influence of dietary conjugated linoleic acid on volatile profiles, color and lipid oxidation of irradiated raw chicken meat
M. DU, D.U. AHN, K.C. NAM, J.L. SELL (USA)

397 Fibre area and capillary supply in broiler breast muscle in relation to productivity and ascites
A.H. HOVING-BOLINK, R.W. KRANEN, R.E. KLONT, C.L.M. GERRITSEN, K.H. DE GREEF (The Netherlands)

403 Improvement in the quality of ground chevon during refrigerated storage by tocopherol acetate preblending
S.P. VERMA, J. SAHOO (India)

